

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 3

AMENDED REPORT



| | | | | | | | | | | |
|---|--|--|--|--|--|---|--|--|--|--|
| APPLICATION FOR PERMIT TO DRILL | | | | | | 1. WELL NAME and NUMBER LC Tribal 16H-22-47 | | | | |
| 2. TYPE OF WORK DRILL NEW WELL <input checked="" type="checkbox"/> REENTER P&A WELL <input type="checkbox"/> DEEPEN WELL <input type="checkbox"/> | | | | | | 3. FIELD OR WILDCAT UNDESIGNATED | | | | |
| 4. TYPE OF WELL Oil Well Coalbed Methane Well: NO | | | | | | 5. UNIT or COMMUNITIZATION AGREEMENT NAME | | | | |
| 6. NAME OF OPERATOR BILL BARRETT CORP | | | | | | 7. OPERATOR PHONE 303 312-8164 | | | | |
| 8. ADDRESS OF OPERATOR 1099 18th Street Ste 2300, Denver, CO, 80202 | | | | | | 9. OPERATOR E-MAIL BHilgers@billbarrettcorp.com | | | | |
| 10. MINERAL LEASE NUMBER (FEDERAL, INDIAN, OR STATE) 2OG0005500 | | | 11. MINERAL OWNERSHIP FEDERAL <input type="checkbox"/> INDIAN <input checked="" type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/> | | | 12. SURFACE OWNERSHIP FEDERAL <input type="checkbox"/> INDIAN <input checked="" type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/> | | | | |
| 13. NAME OF SURFACE OWNER (if box 12 = 'fee') | | | | | | 14. SURFACE OWNER PHONE (if box 12 = 'fee') | | | | |
| 15. ADDRESS OF SURFACE OWNER (if box 12 = 'fee') | | | | | | 16. SURFACE OWNER E-MAIL (if box 12 = 'fee') | | | | |
| 17. INDIAN ALLOTTEE OR TRIBE NAME (if box 12 = 'INDIAN') Uintah and Ouray | | | 18. INTEND TO COMMINGLE PRODUCTION FROM MULTIPLE FORMATIONS YES <input type="checkbox"/> (Submit Commingling Application) NO <input checked="" type="checkbox"/> | | | 19. SLANT VERTICAL <input type="checkbox"/> DIRECTIONAL <input type="checkbox"/> HORIZONTAL <input checked="" type="checkbox"/> | | | | |

| | | | | | | |
|---------------------------------|-----------------|----------------|----------------|-----------------|--------------|-----------------|
| 20. LOCATION OF WELL | FOOTAGES | QTR-QTR | SECTION | TOWNSHIP | RANGE | MERIDIAN |
| LOCATION AT SURFACE | 149 FSL 845 FEL | SESE | 21 | 4.0 S | 7.0 W | U |
| Top of Uppermost Producing Zone | 676 FSL 674 FWL | SWSW | 22 | 4.0 S | 7.0 W | U |
| At Total Depth | 810 FSL 700 FEL | SESE | 22 | 4.0 S | 7.0 W | U |

| | | | | | |
|---|--|--|--|--|--|
| 21. COUNTY DUCHESNE | | 22. DISTANCE TO NEAREST LEASE LINE (Feet) 700 | | 23. NUMBER OF ACRES IN DRILLING UNIT 640 | |
| | | 25. DISTANCE TO NEAREST WELL IN SAME POOL (Applied For Drilling or Completed) 9142 | | 26. PROPOSED DEPTH MD: 9162 TVD: 4732 | |
| 27. ELEVATION - GROUND LEVEL 6283 | | 28. BOND NUMBER LPM8874725 | | 29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE 43-180 | |

| Hole, Casing, and Cement Information | | | | | | | | | | |
|--------------------------------------|-----------|-------------|----------|--------|----------------|-------------|------------------------------------|-------|-------|--------|
| String | Hole Size | Casing Size | Length | Weight | Grade & Thread | Max Mud Wt. | Cement | Sacks | Yield | Weight |
| COND | 26 | 16 | 0 - 80 | 65.0 | Unknown | 8.8 | No Used | 0 | 0.0 | 0.0 |
| SURF | 12.25 | 9.625 | 0 - 800 | 36.0 | J-55 ST&C | 8.8 | Halliburton Light , Type Unknown | 70 | 3.16 | 11.0 |
| | | | | | | | Halliburton Premium , Type Unknown | 210 | 1.36 | 14.8 |
| I1 | 8.75 | 7 | 0 - 5314 | 26.0 | P-110 LT&C | 9.2 | Unknown | 230 | 3.14 | 14.8 |
| | | | | | | | Unknown | 150 | 1.42 | 13.5 |
| L1 | 6.125 | 4.5 | 0 - 9162 | 11.6 | P-110 LT&C | 9.5 | No Used | 0 | 0.0 | 0.0 |

ATTACHMENTS

VERIFY THE FOLLOWING ARE ATTACHED IN ACCORDANCE WITH THE UTAH OIL AND GAS CONSERVATION GENERAL RULES

| | |
|--|--|
| <input checked="" type="checkbox"/> WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER | <input checked="" type="checkbox"/> COMPLETE DRILLING PLAN |
| <input type="checkbox"/> AFFIDAVIT OF STATUS OF SURFACE OWNER AGREEMENT (IF FEE SURFACE) | <input type="checkbox"/> FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER |
| <input checked="" type="checkbox"/> DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY DRILLED) | <input checked="" type="checkbox"/> TOPOGRAPHICAL MAP |

| | | |
|--|---|--|
| NAME Venessa Langmacher | TITLE Senior Permit Analyst | PHONE 303 312-8172 |
| SIGNATURE | DATE 08/28/2012 | EMAIL vlangmacher@billbarrettcorp.com |
| API NUMBER ASSIGNED 43013517000000 | <div style="font-family: cursive; font-size: 24px; margin-bottom: 10px;"> </div> Permit Manager | |

T4S, R7W, U.S.B.&M.

BILL BARRETT CORPORATION

Well location, LC TRIBAL #16H-22-47, (SURFACE LOCATION) located as shown in the SE 1/4 SE 1/4 of Section 21, T4S, R7W, U.S.B.&M., Duchesne County, Utah.


BASIS OF ELEVATION

BENCH MARK (M67) LOCATED IN THE SW 1/4 OF SECTION 9, T5S, R4W, U.S.B.&M., TAKEN FROM THE DUCHESE SE, QUADRANGLE, UTAH, DUCHESE COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED ON CAP AS BEING 6097 FEET.

BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.


NOTE:
THE PROPOSED BOTTOM HOLE FOR THIS WELL IS LOCATED IN THE SE 1/4 SE 1/4 OF SECTION 22, T4S, R7W, U.S.B.&M. AT A DISTANCE OF 810' FSL 700' FEL. IT BEARS N83°20'35"E 5405.85' FROM THE PROPOSED WELL HEAD.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE POINT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED LAND SURVEYOR
KAX
REGISTRATION NO. 161319
STATE OF UTAH



Section Corner
Re-Established
Using Bearing Trees
(Not Set on Ground)

LEGEND:

- = 90° SYMBOL
- = PROPOSED WELL HEAD.
- ▲ = SECTION CORNERS LOCATED.
- △ = SECTION CORNERS RE-ESTABLISHED. (Not Set on Ground.)

| NAD 83 (SURFACE LOCATION) | |
|---------------------------|----------------------------|
| LATITUDE = | 40°06'42.07" (40.111686) |
| LONGITUDE = | 110°40'25.47" (110.673742) |
| NAD 27 (SURFACE LOCATION) | |
| LATITUDE = | 40°06'42.22" (40.111728) |
| LONGITUDE = | 110°40'22.91" (110.673031) |

| UNTANH ENGINEERING & LAND SURVEYING | | | |
|--|----------------|----------------|--------------------------|
| 85 SOUTH 200 EAST - VERNAL, UTAH 84078 | | | |
| (435) 789-1017 | | | |
| SCALE | 1" = 1000' | DATE SURVEYED: | DATE DRAWN: |
| PARTY | T.A. C.N. Z.L. | 08-31-11 | 10-07-11 |
| WEATHER | HOT | REFERENCES | G.L.O. PLAT |
| | | FILE | BILL BARRETT CORPORATION |

T4S, R7W, U.S.B.&M.

BILL BARRETT CORPORATION


Well location, LC TRIBAL #16H-22-47, (TARGET BOTTOM HOLE) located as shown in the SE 1/4 SE 1/4 of Section 22, T4S, R7W, U.S.B.&M., Duchesne County, Utah.

BASIS OF ELEVATION


BENCH MARK (M67) LOCATED IN THE SW 1/4 OF SECTION 9, T5S, R4W, U.S.B.&M., TAKEN FROM THE DUCHESNE SE, QUADRANGLE, UTAH, DUCHESNE COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED ON CAP AS BEING 6097 FEET.

BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.



NOTE:
THE PROPOSED BOTTOM HOLE BEARS
N83°20'35"E 5405.85' FROM THE PROPOSED WELL
HEAD WHICH IS LOCATED IN THE SE 1/4 SE 1/4
OF SECTION 21, T4S, R7W, U.S.B.&M. AT A
DISTANCE OF 149' FSL 845' FEL.



SCALE
CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM
FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY
SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE
BEST OF MY KNOWLEDGE AND BELIEF.

KAX
REGISTERED LAND SURVEYOR
REGISTRATION NO. 161319
STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING
85 SOUTH 200 EAST - VERNAL, UTAH 84078
(435) 789-1017

| | | |
|-------------------------|----------------------------------|-------------------------|
| SCALE 1" = 1000' | DATE SURVEYED: 08-31-11 | DATE DRAWN: 10-07-11 |
| PARTY T.A. C.N. Z.L. | REFERENCES G.L.O. PLAT | |
| WEATHER HOT | FILE BILL BARRETT CORPORATION | |

LEGEND:

- └─┘ = 90° SYMBOL
- = PROPOSED WELL HEAD.
- ▲ = SECTION CORNERS LOCATED.
- Δ = SECTION CORNERS RE-ESTABLISHED. (Not Set on Ground.)

| |
|--|
| NAD 83 (TARGET BOTTOM HOLE) |
| LATITUDE = 40°06'48.44" (40.113456) |
| LONGITUDE = 110°39'16.41" (110.654556) |
| NAD 27 (TARGET BOTTOM HOLE) |
| LATITUDE = 40°06'48.59" (40.113497) |
| LONGITUDE = 110°39'13.85" (110.653847) |